




PERLA

Newsletter and Bibliography
of the
International Society of Plecopterologists



PERLA No. 19, 2001

Aquatic Entomology Laboratory
Department of Biological Sciences
University of North Texas
Denton, Texas 76203

PERLA
Annual Newsletter and Bibliography of the
International Society of Plecopterologists
Available on Request to the Managing Editor

MANAGING EDITOR:

Kenneth W. Stewart
Department of Biological Sciences
University of North Texas
P O Box 305220
Denton, Texas 76203-5220 USA
Fax: 940-565-3821
E-mail: stewart@unt.edu

EDITORIAL BOARD:

Richard W. Baumann
Department of Zoology and
Monte L. Bean Life Science Museum
Brigham Young University
Provo, Utah 84602, USA

Peter P. Harper
Département de Sciences biologiques
Université de Montréal
C.P. 6128, Succ. "Centre-Ville"
Montréal, Québec, H3C 3J7, CANADA

Boris C. Kondratieff
Department of Bioagricultural Sciences
and Pest Management
Colorado State University
Ft. Collins, CO 80523, USA

Ian D. McLellan
P. O. Box 95
Westport, NEW ZEALAND

Shigekazu Uchida
Department of Civil Engineering
Aichi Institute of Technology
1247 Yakusa
Toyota 470-0392, JAPAN

Peter Zwick
Limnologische Flußstation
Max-Planck-Institut für Limnologie
Postfach 260
D-36105 Schlitz, GERMANY

EDITORIAL ASSISTANT AND COPY EDITOR:
Francene Stewart, Denton, Texas

COVER ILLUSTRATION

Upper left to lower right: *Isoperla pinta*, *Isoperla marmorata*, *Neoperla stewarti*, *Neoperla carlsoni* eggs. Stonefly egg chorions vary from smooth to greatly sculptured and ornate. Egg morphology and chorion characteristics are species-specific and have been used as lines of evidence for phylogenetic analysis.

Table of Contents

PERLA Subscription Policy	1
History of International Plecoptera Symposia	2
2001 International Joint Meeting	3
Report on Sixth North American Plecoptera Symposium ..	4
List of Papers Presented	4
List of Participants	6
Symposium Photos	9,10
An Example of Plecoptera Stamina	11
Standing Committee Letter of Appreciation	12
Announcements	13
Proceedings In Press	13
Bill Logan Fly Tyer	13
Other Aquatic Insect Newsletters	13
2 nd Edition of Nymphs Book to be Published Late 2001	13
Other Meetings of Interest	14
Call for Scholarship Donations	14
Current Research on Plecoptera In Progress	15
Report on Noel Hynes	18
Recent Plecoptera Literature (2000 and Earlier)	19-38
Report on Bill Ricker	38

PERLA SUBSCRIPTION POLICY

(As revised by vote of the participants
and the Standing Committee at the
XIII International Symposium in
Tucumán, Argentina, August, 1998)

Dues for membership in the International Society of Plecopterologists are \$15 U.S. per year. Members will automatically receive PERLA. Libraries or other institutions may receive PERLA by making a \$10 annual donation, or through an exchange of publications agreement approved by the Managing Editor and Editorial Board. Five dollars (\$5) of the dues will become part of the Scholarship Fund of the Society, to be used for helping active and deserving workers or students participate in future symposia.

Persons or institutions who have no support or are financially unable to pay dues may continue to receive PERLA by writing a brief note to the Managing Editor requesting a waiver of dues and to be retained on the mailing list.

It is therefore important that you respond to this receipt of PERLA 19 in one of the following ways, in order to be kept on the mailing list for PERLA 20: (1) pay your annual dues, (2) make a \$10 donation (institutions), or (3) request a waiver. A form and self-addressed envelope are included with this issue, (PERLA 19) for your convenience in responding.

You may send your dues or donation in the form of a personal check, bank note, cashier's check, or postal money order designated in U.S. funds to the Managing Editor. Because of high bank costs for exchange in some countries, you may send cash, in which case the Managing Editor will respond with a personal acknowledgment if it is received.


Dues and donations are used to help pay the costs of publishing and mailing PERLA, for Lifetime Achievement Award plaques presented by the Society at International Symposia and for the Scholarship Fund. The Managing Editor will make a financial report to the International Committee at each International Symposium Business Meeting or at any other time when requested.

Members or institutions whose dues remain unpaid for two consecutive years, or have not been granted exchange, waiver or emeritus status, will be dropped from the PERLA mailing list.

**HISTORY OF
INTERNATIONAL PLECOPTERA SYMPOSIA**

Symposium	Place	Time	Organizer(s)
I.	Lausanne, Switzerland	Sept. 1956	Jaques Aubert
II.	Vienna, Austria (Symposium XIII within Framework of International Congress of Entomology)	Aug. 1960	E. Pomeisl
III.	Ploen, Germany	Sept. 1963	J. Illies
IV.	Abisko, Swedish Lapland	July 1968	P. Brinck & S. Ulfstand
V.	Washington, D.C., USA	Sept. 1974	R.W. Baumann
VI.	Schlitz, Germany	Aug. 1977	J. Illies & P. Zwick
VII.	Nara, Japan	Aug. 1980	Teizi Kawai
VIII.	Toulouse, France	Aug. 1983	C. Berthélemy
IX.	Marysville, Australia	Feb. 1987	Ian Campbell
X.	Granada, Spain	July 1989	J. Alba-Tercedor
XI.	Treehaven Biological Station, Wisconsin, USA.	Aug. 1992	S. W. Szczytko
XII.	Lausanne, Switzerland	Aug. 1995	P. Landolt & M. Sartori
XIII.	Tucumán, Argentina	Aug. 1998	E. Dominguez
XIV.	Perugia, Italy	(Upcoming Aug. 2001)	Elda Gaino

2001 INTERNATIONAL JOINT MEETING



X INTERNATIONAL CONFERENCE ON EMPHEMEROPTERA

XIV INTERNATIONAL SYMPOSIUM PLECOPTERA

5-11 AUGUST, PERUGIA-ITALY

General information about the meeting was given in PERLA 18. For latest update go to website: <http://olympus.unipg.it/maystone/> As of this writing in early April, the preliminary program organized by Elda Gaino listed over 100 participants from 28 different countries, 42 oral presentations, 44 poster presentations and 3 invited lectures. For specific information or questions concerning the joint meeting, contact Elda Gaino at e-mail address: maystone@unipg.it

Report on Sixth North American Plecoptera Symposium
(Abstracts were published in the meeting program)

The Sixth North American Plecoptera Symposium, hosted by R. W. Baumann and C.R. Nelson, was held on the campus of Brigham Young University, Provo, Utah, May 24-27, 2000. Twenty two papers were presented in the scheduled sessions, and a special evening talk on "Stoneflies of the Great Basin: History and Biogeography" was given by Andy Sheldon. On Friday afternoon, participants were bused up to Timp Lodge in a beautiful area of the Wasatch Mountains for collecting and a hike along the Little North Fork of Provo River and up to the base of the Glacial Cirque with spectacular Stewart Waterfall. The evening was spent at Timp Lodge socializing, partaking of a delicious western chuck wagon buffet dinner and topped off by Andy Sheldon's talk. On Saturday, participants traveled by bus to collecting sites, including those pioneered in studies by the late Arden Gaufin on the upper Provo River. The 49 participants and accompanying persons had a great meeting, excellent food and heart-warming fellowship

List of Papers Presented

1. "A brief geologic history of Utah, especially as it relates to stonefly (Plecoptera) distribution." C.R. Nelson
2. "The *Sweltsa lamba* Complex: one highly variable species or several slightly different species ? (Plecoptera: Chloroperlidae)." R.W. Baumann and B.P. Stark
3. "Current status of Pennsylvania stonefly research." J. Earle
4. "A new species of *Soyedina* (Plecoptera: Nemouridae) from the Karst region of central Kentucky." S. Grubbs
5. "Rare (?) *Capnura fibula Claassen* and other Plecoptera from New Mexico." G.Z. Jacobi and S.J. Cary
6. "Global patterns in Plecoptera genera richness." M. Vinson
7. "The stoneflies (Plecoptera) of Mount Rainier National Park, Washington, USA." B.C. Kondratieff and R. Lechleitner
8. "Exploratory analysis of Plecoptera phylogeny using the 18s and ITS-1 sequences of rDNA." C.H. Nelson, C. White and A. Stapleton
9. "A new species and extreme range extension in the *Capnia californica* species-group (Plecoptera: Capniidae) with notes on phylogenetic relationships and human historical perspectives." C.R. Nelson

10. "A functional Classification of the drift: traits that influence stonefly availability to Salmonids" R.B. Rader
11. "Plecoptera of Florida: biodiversity and spatial distribution." A.K. Rasmussen, M.L. Pescador and B.A. Richard
12. "Drumming behavior and life history notes of a high altitude population of the stonefly *Isoperla petersoni* Needham & Christenson (Plecoptera: Perlodidae). J.B. Sandberg and K.W. Stewart.
13. "Water of northern Utah: a photo essay." C.R. Nelson
14. "The stoneflies (Plecoptera) of southern Utah with an updated checklist of Utah species." R. Call
15. "Status report on the stonefly genus *Isogenoides* Klapálek (Plecoptera: Perlodidae) of North America; systematics, behavior and ecology." J.B. Sandberg and K.W. Stewart
16. "Descriptions and previously unknown nymphs of *I. decolorata* (Walker), *I. denningi* Jewett, *I. rougensis* Szczytko and Stewart and further descriptions of the male, female and egg of *I. decolorata*. S.W. Szczytko and K.W. Stewart
17. "Drumming, skimming, and evolution of flight: a new phylogeny of Plecoptera." M.D. Terry and M.F. Whiting
18. "Development and life cycle of Far Eastern *Pteronarcys* spp. (Plecoptera, Pteronarcyidae)." V.A. Teslenko and P. Zwick
19. "A review of the North American species of *Megarcys* (Plecoptera: Perlodidae)." B.J. Van Wieren, B.C. Kondratieff and B.P. Stark.
20. "New species of *Allocapnia* in the *recta* group (Plecoptera: Capniidae)." B.C. Kondratieff and R.F. Kirchner
21. "Systematic studies of Nearctic *Paraleuctra* (Plecoptera: Leuctridae)." J. Wise and B.P. Stark
22. "Studies of Colombian *Anacroneuria* (Plecoptera: Perlidae), with emphasis on the *A. guambiana* complex." M. del Carmen Zúñiga and B.P. Stark.
23. "Stoneflies of the Great Basin: history and biogeography." A. Sheldon

List of Participants

1. **Abbott, John C.** School of Biological Science, University of Texas, Austin, Tx 78712; Jcabbott@mail.utexas.edu
2. **Alexander, Kevin.** Division of Math & Science, Wayne State College, Wayne, NE 68787; kalexand@wscgate.wsc.edu (Current address: Western State College, Gunnison, CO kalexand@wscgate.wsc.edu)
3. **Baker, Randy.** M. L. Bean Museum, Brigham Young University, Provo, UT 84602.
4. **Baumann, Richard W.** Department of Zoology and Monte L. Bean Life Science Museum, Brigham Young University, Provo, Utah 84602; richard_baumann@byu.edu
5. **Birmingham, Mike.** University of Iowa Hygienic Laboratory, Oakdale Hall H 101, Iowa City, Iowa 52242; mbirming@uhl.uiowa.edu
6. **Call, Ronald.** Richfield High School, 510 West 100 South, Richfield, UT 84701; ronald.call@sevier.k12.ut.us
7. **Cary, Steven J.** New Mexico Parks and Recreation Division, Santa Fe, New Mexico 87502.
8. **Earle, Jane.** Department of Environmental Protection, Bureau of Watershed Conservation. P.O. Box 8555, Harrisburg, PA 17105-8555; earle.jane@dep.stale.pa.us
9. **Ferguson, Joseph M.** Western Kentucky University, 410 East Main Street Apt, Bowling Green, KY 42101; joe.ferguson@wku.edu
10. **Griffith, Michael B.** USEPA, NERL, 26 W. Martin Luther King Dr., Cincinnati, OH 45268; griffith.michael@epamail.epa.gov
11. **Grubbs, Scott.** Department of Biology, Western Kentucky University, Bowling Green, KY 42101; scott.grubbs@wku.edu
12. **Heimdal, Dennis.** University of Iowa Hygienic Laboratory, Oakdale Hall H 102, Iowa City, Iowa 52242; dheimdal@uhl.uiowa.edu
13. **Huntzinger, Kim.** Department of Zoology, Brigham Young University, Provo, UT 84602
14. **Jacobi, Gerald Z.** New Mexico Highlands University, Las Vegas, New Mexico 87701; drsjacobi@uswest.net

15. **Jessop, Brad.** Department of Botany and Range Science, Brigham Young University, Provo, UT 84602
16. **Johnson, Richard Arden.** Department of Biology, University of Utah, 7664 William Cir., West Jordan, UT 84084; rjohnson@AHEC.utah.edu
17. **Kirchner, R. Fred.** 5960 East Pea Ridge, Ridgeview Apartment 1, Huntington, WV 25705
18. **Kondratieff, Boris C.** Department of Bioagricultural Sciences and Past Management, Colorado State University, Fort Collins, CO 80523; bkondrat@ceres.agsci.colostate.edu
19. **Lechleitner, Richard.** Mount Rainier National Park, Tahoma Woods, Star Route, Ashford, Washington 98304
20. **Masteller, Edwin C.** Penn. State Erie, The Behrend College, School of Science, Station Road, Erie, PA 16563-0203; e11@psu.edu
21. **Mendel, Wendy.** Department of Zoology, Brigham Young University, Provo, UT 84602
22. **Monson, Lisa.** Department of Zoology, Brigham Young University, Provo, UT 84602
23. **Nelson, Charles H.** Department of Biological and Environmental Sciences, The University of Tennessee at Chattanooga, Chattanooga, TN 37403; Charles-Nelson@utc.edu
24. **Nelson, C. Riley.** Department of Zoology, Brigham Young University, Provo, Utah, USA; rileynelson@byu.edu
25. **Pescador, Manuel L.** Center for Water Diversity, Florida A & M University, Entomology, Tallahassee, FL 32307; mpescador@famu.edu
26. **Rader, Russell B.** US Forest Service, Rocky Mountain Station, Laramie, Wyoming, 82070; rrader@fs.fed.us
27. **Rasmussen, Andrew K.** Center of Water Quality, Florida A & M University, Tallahassee, Florida 32307-4100; rasandy@freenet.tlh.fl.us
28. **Richard, Barton A.** Center for Water Quality, Florida A & M University, Tallahassee, Florida 32307-4100
29. **Robertson, James.** Department of Zoology, Brigham Young University, Provo, UT 84602

30. **Sandberg, John B.** Department of Biological Sciences, University of North Texas, Denton, Texas 76203; jbs001@students.cas.unt.edu
31. **Schultheis, Alicia.** Department of Biology, Virginia Polytechnical Institute and State University, Blacksburg, VA 24061-0794.
Aschultheis@vt.edu
32. **Sheldon, Andy.** Biological Sciences, University of Montana, Missoula, MT 59819; sheldon@selway.umt.edu
33. **Sivec, Ignac.** Slovene Museum of Natural History, 1001 Ljubljana, Slovenia; ignac.sivec@guest.arnes.si
34. **Smith, Noelle L.** Eastern Kentucky University, 120 Manna Dr. Apt. #3, Richmond, KY; stusmiro@acs.eku.edu
35. **Stapleton, A.** Department of Biological and Environmental Sciences, The University of Tennessee at Chattanooga, Chattanooga, TN 37403
36. **Stark, Bill P.** Department of Biological Sciences, Mississippi College, Clinton, Mississippi 39058; Stark@mc.edu
37. **Stewart, Kenneth W.** Department of Biological Sciences, University of North Texas, Denton, Texas 76203; stewart@unt.edu
38. **Szczytko, Stanley W.** College of Natural Resources, University of Wisconsin, Stevens Point, WI 54481; sszczytk@uwsp.edu
39. **Terry, Matthew D.** Department of Zoology, Brigham Young University, Provo, UT 84602, USA; MDT36@email.byu.edu
40. **Teslenko, Valentina A.** Russian Academy of Sciences, Institute of Biology and Soil Sciences, Far Eastern Branch, Vladivostok 690022, Russia (not present)
41. **Van Wieren, Brian J.** Department of Bioagricultural Sciences and Pest Management, Colorado State University, Fort Collins, CO 80523; bjvw@holly.colostate.edu
42. **Vinson, Mark.** Department of Fisheries and Wildlife, Utah State University, Logan, Utah 84322-5210; aqua@cc.usu.edu
43. **Waite, Troy.** Department of Zoology, Brigham Young University, Provo, UT 84602
44. **White, C.** Department of Biological and Environmental Sciences, The University of Tennessee at Chattanooga, Chattanooga, TN 37403

45. **Whiting, Michael F.** Department of Zoology, Brigham Young University, Provo, UT 84602, USA; Michael_Whiting@byu.edu


45. **Winkler, Isaac.** Department of Zoology, Brigham Young University, Provo, UT 84602

46. **Wise, Juliana.** Department of Biology, Mississippi College, Box 4045, Clinton, Mississippi 39058


47. **Zuellig, Bob.** Department of Bioagricultural Sciences and Pest Management, Colorado State University, Fort Collins, CO 80523; rez@cnr.colostate.edu

48. **Zúñiga, Maria del Carmen.** Universidad del Valle, Apartado aéreo, 25360 Cali, Colombia; macardos@mafalda.univalle.edu.co

49. **Zwick, Peter.** Max-Planck-Institute of Limnology, Limnologische Fluss-Station, P.O. Box 260, 36105 Schlitz, Germany; pzwick@mpil-schlitz.mpg.de



A group of participants at Timp Lodge before the Symposium Dinner.
Standing: Kevin Alexander, Ken Stewart, Manuel Pescador, Peter Zwick;
Sitting: Ignac Sivec, John Sandberg, Stan Szczytko, Bill Stark



Participants of the Sixth North American Plecoptera Symposium

An Example of Plecoptera Stamina

For many years, the amazingly complex genital structures of male Pteronarcyidae made me wonder about their functions. In 1998, I had an opportunity to preserve a mating pair of *P. reticulata* in the field to study the relative position of the various male and female structures during mating. At the occasion of the Plecoptera symposium held to Provo, in May 2000, I hoped to do something similar with some American taxa but was early. Although last instar larvae of *Pteronarcys californica* and *Pteronarcella badia* were common in the Provo River above the city, I found no adults. Therefore, I decided to take some last instar larvae home to Germany, rear them, and try my luck when back home in Europe.

A number of larvae were put into two 1 mm mesh nylon net bags which I suspended in the river on 23 May; no food was added but some of the fine detritus trapped on the outside of the bags was probably also washed into them. The bags were retrieved on 27 May and each was placed in a decapitated small plastic Coke bottle. The larvae spent the night on the windowsill in the student dormitory and travelled with me to Keystone, Colorado, the next day, for the NABS conference. Late the next day, the bags were suspended in the Snake River at Keystone. The river was turbid and discharge fluctuated because of snowmelt during the sunny days and frost at night. I noticed no detritus that could serve as food for the larvae.

On 1st June, the bags were retrieved from the Snake River. After two weeks in captivity, all larvae survived and were active. The bags were again placed into those bottles and stayed in my room until my departure, the following day. In the afternoon, the bags were briefly wetted at a chlorine-smelling drinking water fountain in the airport. Subsequently, they were kept dry in my cabin luggage for approximately another 15 hours. On 3 June, all of the 15 *Pteronarcys* were alive while half of the *Pteronarcella* larvae had died, only about 15 of them remained. The survivors were transferred to an aerated 25 litre drum with clean stream water and kept at ambient temperatures, close to 20°C in the day. Within a week, 4 male *Pteronarcys* emerged but unfortunately all females got stuck in their larval skins. The *Pteronarcella* fared better. Although they had suffered initial losses, 4 pairs emerged and mated shortly afterwards. They were sprayed with ethyl Chloride (C₂H₅Cl) during mating to freeze them in this position; however, all couples separated immediately.

This is an example of the exceptional stamina of Plecoptera. The experience provided also some additional insights: One dying female *P. badia* extruded 17 eggs which were incubated in vials with stream water. 13 eggs developed to eye-spot stage and 9 larvae eventually hatched, but only after exposure to 4°C, for several weeks. I was pleased to see where hatching larvae open their eggs and to study the first and second instar of *Pteronarcella*, none of which, I believe, are described.

Peter Zwick

**STANDING COMMITTEE
FOR THE INTERNATIONAL SYMPOSIA ON PLECOPTERA**

Prof. J.E. Brittain, Norway; Prof. C.G. Froehlich, Brazil; Prof. P.P. Harper, Canada; Prof. T. Kawai, Japan; I.D. McLellan, New Zealand;
Dr I. Sivec, Slovenia; Prof. K.W. Stewart, USA; Prof. S.W. Szczytko, USA; Prof. P. Zwick, Germany

**c/o Limnologische Fluss-Station Schlitz
des Max-Planck-Instituts für Limnologie**

Prof. Dr. Peter Zwick
E-Mail: pzwick@mpil-schlitz.mpg.de

Schlitz, 08.09.00

Postfach 260, D-36105 Schlitz;
Damenweg 1, D-36110 Schlitz,
Germany, Tel. **06642-960330,
FAX **06642-6724

Dr Boris Kondratieff
Dept. of Zoology
Colorado State University
Fort Collins, Col. 80523
USA

Dear Professor Kondratieff,

On behalf of the INTERNATIONAL SOCIETY OF PLECOPTEROLOGISTS and in the name of the STANDING COMMITTEE FOR THE INTERNATIONAL SYMPOSIA ON PLECOPTERA I would like to thank you very sincerely for continued efficient support of our scientific society.

Our society operates in a rather informal way, but has nevertheless several strong ties among its members, like the conferences and symposia, both regional and international. However, the most universal tie between the global membership certainly is the Newsletter Perla, which is produced since 1974.

For several years already, your generous donations have made the world-wide mailing of the Newsletter possible, also of the latest issue, No. 18, this year. You are rendering a very valuable service to our Society, which is very much appreciated and for which I, the STANDING COMMITTEE, and the Managing Editor of PERLA, Ken Stewart, express our profound gratitude.

I remember our latest encounter at the North American Plecoptera Conference in Provo, Utah, in May this year with great pleasure and look forward to meeting you again, hopefully at the next INTERNATIONAL SYMPOSIUM IN PERUGIA, ITALY, in August next year.

With my very best wishes and kindest regards,

Yours sincerely,

Prof. Dr. P. Zwick

ANNOUNCEMENTS

Proceedings of the joint IX International Conference on Ephemeroptera and XIII International Symposium on Plecoptera in Press.

Eduardo Dominguez reports that the proceedings are in press and expected to be available in April-May, 2001. The title is "Trends in Research in Ephemeroptera and Plecoptera" and publisher is Kluwer Academic/Plenum Publishers.

~~~~~

**Bill Logan** of 165 Lake Street, Upper Saddle River, New Jersey, ties super realistic stoneflies. He devotes a large amount of effort to exploring tying *fishable* realistic patterns, and describes his materials and techniques in flyfishing magazines. In 2000, he began an open ended series of articles in the Japanese fly fishing magazine *Tightloop*.

~~~~~

Aquatic Insect Newsletters Information:

(1) BRAUERIA, TRICHOPTERA NEWSLETTER is edited by Hans Malicky, with the assistance of Michael Ian Crichton. It may be purchased or obtained by exchange of scientific publications. The price of one copy is 100 Austrian Schilling or 10 Euro or 10 US\$. For subscription or information contact Dr. Hans Malicky, Sonnensgasse 13, A-3293 Lunz am See, Austria.

(2) THE MAYFLY NEWSLETTER is edited by Peter Grant. It is published twice a year and is the official newsletter of the Permanent Committee of the International Conferences on Ephemeroptera. There is no subscription fee. For subscription or information contact Dr. Peter M. Grant, editor, Department of Biological Sciences, Southwestern Oklahoma State University, 100 Campus Drive, Weatherford, Oklahoma 73096-3098 USA or e-mail: grantp@swosu.edu

~~~~~

**The 2<sup>nd</sup> Edition of the 1988 Thomas Say Foundation book "Nymphs of North American Stonefly Genera (Plecoptera)"** by K.W. Stewart and B.P. Stark will be published in late 2001 by Caddis Press. The book updates generic changes and species lists-distributions for the current 103 genera through the year 2000, includes a new section of colored plates of nymph representatives of each family and has over 1100 detailed illustrations.

Contact Brian Armitage, Editor, The Caddis Press, P.O. Box 21039, Columbus, Ohio 43221-0039 USA or e-mail: [armitage.7@osu.edu](mailto:armitage.7@osu.edu) for pre-publication discount pricing and a flyer describing contents of the book.

---

## **Other Meetings of Interest:**

**49<sup>th</sup> Annual Meeting of the North American Benthological Society, La Crosse, Wisconsin, June 3-8, 2001.**

The NABS 2001 Program Committee has assembled a record number of 572 presentations on various aspects of benthic science. Local Arrangements Chair is Ron Rada, University of Wisconsin-La Crosse, LaCrosse, WI 54601, USA. E-mail [rada.rona@uwlax.edu](mailto:rada.rona@uwlax.edu)

**38<sup>th</sup> Annual Meeting of the Animal Behavior Society, Oregon State University, Corvallis, Oregon, July 14-18, 2001.** Symposia include. "Aggression and group organization in animal societies," "Behavioral genetics for the next decade," "Detecting and measuring mating preferences," and "Song learning". For further information see

<http://www.animalbehavior.org/ABS/Program>

You may also contact local hosts Andy Blaustein ([blaustea@bcc.orst.edu](mailto:blaustea@bcc.orst.edu)) or Lynne Houck ([houck@bcc.orst.edu](mailto:houck@bcc.orst.edu)).

---

## **International Code of Zoological Nomenclature Updated**

The 4<sup>th</sup> edition of the International Code of Zoological Nomenclature is now published, and its recommendations took effect 1 January 2000. One new recommendation is 73C.2.: "An author who establishes a new nominal species- group taxon should publish at least the following data concerning the holotype, if they are relevant and known to the author:...the full locality (including geographic coordinates), date, and other data on the labels accompanying it;..."

---

## **CALL FOR SCHOLARSHIP DONATIONS**

Decision in Tucumán by the Standing Committee to increase dues to \$15.00, and allocate the increase (\$5.00) to the Scholarship Fund of the Society (see Subscription Policy on previous page and announcement in Perla 18) should contribute to helping active and deserving workers or students to participate in future symposia.

However, increasing costs of travel and expense involved in traveling internationally project that scholarship support of the full expense of participation may not be possible. Therefore, to maximize the amount of scholarship support that the Society will be able to provide to any one or more recipients, we solicit any consideration members might give to making a donation to the Scholarship Fund to Peter Zwick, Corresponding Secretary of the Society, address inside cover of this PERLA.

---

---

## CURRENT RESEARCH ON PLECOPTERA

---

---

This section is intended to keep society members current on research in progress by other members, workers and students. Please use Editor Stewart's e-mail address (inside front cover) or conventional mail to submit a brief, informative description of your current work, for the next PERLA (20).

---

**Ian McLellan of Westport, New Zealand** has completed and has in press a new genus and species of Gripopterygidae (Plecoptera) from the Falkland Islands and a revision of South American Austroperlidae. He is writing up an article on stoneflies of Stewart Island (the smallest and southernmost of New Zealand's main islands) and will present this at the Symposium at Perugia. Other projects are a revision of the New Zealand gripopterygid genera *Nesoperla*, *Megaleptoperla* and *Vesicaperla*. An ongoing project is the work on South American Gripopterygidae with Peter Zwick.

---

**The Swiss Stonefly key** is about to be completed. Keys have been tested by both specialists and non-specialists. A few drawings and texts have to be completed, and then the final version will be ready for page setting. The key is going to be published in a volume of Fauna Helvetica, together with the distribution atlas of the Swiss Plecoptera. **Dr. Verena Lubini, Sandra Knispel.**

---

### **Dr. Boris Kondratieff's Lab, Colorado State University**

1. Dr. Richard Lechleitner and Boris Kondratieff are continuing their survey of the stoneflies of Mount Rainier National Park. Currently, 75 species are known from the Park.
2. Ralph F. Kirchner and Boris Kondratieff are continuing their inventory of the stoneflies of Smoky Mountain National Park, a project associated with ALL TAXA BIODIVERSITY INVENTORY of the Park. They have completed a successful winter stonefly trip into the Park at the end of February and early March 2001, collecting adults of at least 14 species.
3. Ralph F. Kirchner and Boris Kondratieff are completing several manuscripts describing new species of *Perlesta* and other groups.

---

## Research in Dr. Ken Stewart's Lab, University of North Texas

1. Doctoral student John Sandberg continues his study of the systematics, behavior and ecology of the stonefly genus *Isogenoides*. Goals are to describe all life stages and record drumming from reared fresh material. Drumming signals of *I. krumholzi*, *I. olivaceous*, *I. varians*, *I. colubrinus*, *I. elongatus* and *I. frontalis* have been recorded and nymphs of *I. hansonii* are being reared from spring, 2001 collections. Bill Stark, Boris Kondratieff, Stan Szczytko and Fred Kirchner have helped in collection of nymphs.
2. Ken Stewart and Stan Szczytko have recently reared the nymphs of five previously unknown western North American *Isoperla* species (*I. decolorata*, *I. katmaiensis*, *I. denningi*, *I. rougensis* and *I. baumanni*), and have submitted a manuscript describing them. A collecting trip to Oregon is planned by Ken Stewart and Bill Stark in May, 2001 to obtain for rearing nymphs of the remaining three species whose nymphs are unknown. The objective is to develop an illustrated key to nymphs of all western species.
3. Ken Stewart and Bill Stark have completed the manuscript for the 2<sup>nd</sup> Edition of "Nymphs of North American Stonefly Genera (Plecoptera)", that is scheduled to be published by Fall, 2001.
4. Ken Stewart and Mark Oswood have received funds through a National Science Foundation Arctic Archival Observatory Grant to the University of Alaska, Fairbanks, to complete their book on "Stoneflies of Alaska and Northwestern Canada". They have been working on the project since 1980. The book is scheduled for completion by late 2002.

Other projects recently completed include the Plecoptera Chapter in the upcoming Encyclopedia of Insects (Academic Press), study of the life history of *Kogotus modestus* (with John Sandberg) and review and description of the eggs and females of *Setvena* species (with Bill Stark).

---

## Dr. Claudio G. Froehlich, University of São Paulo

The State of São Paulo, through its Research Support Foundation, is sponsoring a program (BIOTA/FAPESP) on studies of the State's biodiversity. Several studies are in progress, including those on aquatic insects and other invertebrates. For these, the main collecting area is the Intervales State Park, a well-preserved area 41705 ha in extent. Information may be obtained at [www.biotasp.org.br](http://www.biotasp.org.br).

## **Plecoptera in glacial catchments, John E. Brittain, University of Oslo**

In co-operation with several other institutions and with funding from the European Union, we have been studying the macroinvertebrates of glacial-fed rivers across Europe from the Pyrenees in the south to Spitsbergen in the north, also including sites in the Alps and on Iceland. The fauna is of course dominated by chironomids, but we have also found stoneflies to be quite common, especially in the lower reaches and in non-glacial tributaries. Generalised Additive Models have been developed to express the relationships between macroinvertebrate taxa and environmental variables. The models demonstrated clear responses of stonefly taxa to gradients in water temperature, substrate stability and several other environmental variables such as tractive force and suspended sediment as these changed downstream of glacial sources. As a follow-on from these studies Sandra Knispel, a doctoral student at the Museum of Zoology, Lausanne, Switzerland, has been investigating habitat, life cycles and egg development in several plecopterans in the alluvial flood-plain below the Rhône glacier. Together with Emmanuel Castella of the University of Geneva, who has been responsible for the model development, we plan to present some of these results at the Perugia meeting in August.

---

## **Dr. Eduardo Dominguez, Universidad Nacional de Tucumán, Argentina**

Student Mariana Orce, under a current fellowship, has associated the nymphs of two *Anacroneuria* species from Argentina. She plans to visit Bill Stark's lab in Clinton, Mississippi in July, 2001.

---

## **Maria del Carmen Zuñiga, Universidad del Valle, Colombia**

Maria's field work on stoneflies has been temporarily suspended because of knee replacement surgery in December, 2000. She hopes to be collecting again soon and plans to be in Perugia in August, 2001. She has been studying nocturnal emergence patterns of a species of *Anacroneuria* with a student and has recently associated the nymphs of 2 Colombian *Anacroneuria* species.

---

## **Jane Earle, Pennsylvania Department of Environmental Protection**

Jane is continuing studies of Pennsylvania stoneflies, with major emphasis on the distribution and tolerance of species, especially the tolerance to coal mine drainage and natural acidity/acid precipitation.

---

Andy has been on sabbatical, hosted by the U.S. Forest Service in Oxford, Mississippi, working on stoneflies, mussels and stream fishes. He has collected stoneflies at 38 sites in two forested catchments near Hot Springs, Arkansas, in the Ouachita Mountains. The project concerns monitoring the effects of experimental and industrial timber harvest on regional streams. He says the project is going well and he is gaining appreciation for seasonally dry streams. The ecological generalizations of Poulton & Stewart (1991) seem to be standing up pretty well. He will return to Montana in early August, 2001 to pursue other stonefly projects and publish his work with Dick Baumann on biogeography of Great Basin Plecoptera.

---

**Shurenkhorloo Purevdorj "Puje"**

"Puje" is a masters' student in the Department of Ecology at the national University of Mongolia. He has studied under John C. Morse. His thesis work is on aquatic insects of Southeastern Mongolia, useful for monitoring water quality relating to gold mining. He wants to study Plecoptera of Mongolia and hopes to participate in our international symposia.

**REPORT ON RECENT ACTIVITIES OF NOEL HYNES**

Editors note: The following is response to my inquiry to Noel Hynes about his activities over the past year.

Thank you for the inquiry, and for your appreciation of my chapter in the Eastern North American stonefly book. It is good to see that appearing now.

The short answer to your query is that I am getting older and less active, but I have had a good year. I am no longer able to scramble about on stream banks, but I do get around a bit. A few weeks ago I was at Tulum in Mexico with my daughter and her husband, walking around the ruins that spooked the Conquistadores and snorkelling in the Caribbean, and I have recently returned from California, where I was invited by Ken Cummins to talk to his students at Humboldt University. It was a joy being back in a classroom with a bunch of good grad students, and I was able to spend a day or two with my grandson who is now an architect in San Francisco. It was the first long journey I have done alone since Mary died, and it did me a power of good.

I have little to report on accomplishments, but I did complete a 200 page autobiography, which has now been published in Holland by Backhuys. But that was only a couple of weeks ago so I have not yet seen it. There is also talk of another publisher's wishing to reissue my Ecology of Running Waters, which still seems to be in much demand despite being very out of date. Otherwise I continue to be around, contributing very little to the world and being well looked after by friends, particularly my neighbour Karin Barton (Davis' wife) who is like a daughter to me.

I look forward to Perla 19 and the new edition of the nymph book, but I doubt I shall make it to the Italian meeting, although I may get to Schlitz later in the year. I have friends in Freiburg whom I would like to visit before I am too old to do so. I do not possess the remarkable toughness of Bill Ricker!

# RECENT PLECOPTERA LITERATURE (CALENDAR YEAR 2000 AND EARLIER)

Note: Unless otherwise indicated, references are to the original title in the language in which the body of the article is written. If titles are given in two languages separated by a slash, the translated title was provided by the author(s) and there is also an abstract in that same language. If the second title is in English but appears in square brackets, an editorial translation of the title was included for the convenience of readers of PERLA, but there is no English abstract.

- ARNETT, R.H. (2000): Chapter 8, Plecoptera (Stoneflies). – pp. 135-143, in: American Insects A handbook of the insects of America north of Mexico. – CRC Press, Boca Raton, London etc., XVIII+1003 pp.
- BAGGE, P. (1997): Species richness and annual emergence of stoneflies (Plecoptera) in spring-fed brooks, forest streams and lake outlet streams of central Finland. – pp. 47-52 in: FRIBERG, C.; CARL, J.D. (eds), Biodiversity in Benthic Ecology. proc. Nordic Benthological Meeting in Silkeborg, Denmark, 13-14 November 1997. National Environmental Research Institute, Denmark. 142 pp. – NERI Technical Report No. 266.
- BALTES, B. (2000): Einfluss der Gewässerversauerung auf aquatische Insekten [Influence of acidification of water bodies on aquatic insects]. – Mitt. Dtsch. Ges. allg. angew. Entomol. 12: 231-235
- BALTES, B. (2000): Wie sauer sind unsere Waldbäche? Chemische versus biologische Indikation [How acid are our forest streams? Chemical versus biological indication]. — Deutsche Gesellschaft für Limnologie (DGL), Tagungsbericht 1999 (Rostock), Tutzing, 1: 219-224.
- BARBOUR, M.T., GERRITSEN, J.; SNYDER, B.D.; STRIBLING, J.B. (1999): Rapid bioassessment protocols for use in streams and wadeable rivers: periphyton, benthic macroinvertebrates and fish, 2<sup>nd</sup> ed. EPA 841-B-99-002, U.S. Environ. Prot. Ag.; Office of Water, Washington, D.C. 202pp + appendices.
- BELANGER, S.E.; GUCKERT, J.B.; BOWLING, J.W.; BEGLEY, W.M.; DAVIDSON, D.H.; LEBLANC, E.M.; LEE, D.M. (2000): Responses of aquatic communities to 25-6 alcohol ethoxylate in model stream ecosystems. *Aquat. Toxicol.* Amsterdam. 48: 135-150.
- BELLSTEDT, R. (2000): Zur Limnofauna von Nesselbach und Dürrer Floh bei Schnellbach im Thüringer Wald (Landkreis Schmalkalden-Meiningen) [On the limnofauna of Nesselbach and Dürrer Floh near Schnellbach in the Thuringian Forest (District Schmalkalden-Meiningen)]. – Thüringer Faunistische Abhandlungen 7: 89-99.

- BELLSTEDT, R.; BRETTFELD, R. (2000): Erstnachweis der Steinfliege *Capnia bifrons* (Newman, 1839) für den Thüringer Wald (Plecoptera, Capniidae) [First record of the stonefly *Capnia bifrons* (Newman, 1839) for the Thuringian Forest (Plecoptera, Capniidae)]. – Abh. Ber. Mus. Nat. Gotha 21: 113-114
- BIRGE, W.J.; PRICE, D.J.; SHAW, J.R.; SPROMBERG, J.A.; WIGGINTON, A.J.; HOGSTRAND, C. (2000): Metal body burdens and biological sensors as ecological indicators. – Environ. Toxicol., Chem. 19: 1199-1212.
- BOHLE, H.W. (2000): Anpassungsstrategien ausgewählter Organismen an temporäre Wasserführung - Insekten periodischer Fließgewässer Mitteleuropas. [Strategies of adaptation of selected organisms to temporary discharge – insects of periodic running waters in central Europe]. – pp. 53-71 in: SOMMERHÄUSER M. (ed.), Gewässer ohne Wasser ? Ökologie, Bewertung, Management temporärer Gewässer. Natur- & Umweltschutz-Akademie des Landes Nordrhein-Westfalen Recklinghausen..
- BOITEAU, G.; OSBORN, W.P.L.; XIONG, X.; BOUSQUET, Y. (2000): The stability of vertical distribution profiles of insects in air layers near the ground. – Can. J. Zool. 78: 2167-2173.
- BOMBARDIER, M.; BLAISE, C. (2000): Comparative study of the sediment-toxicity index, benthic community metrics and contaminant concentrations. – Water Qual. Res. J. Canada. 35: 753-780.
- BOULTON, A. (2000): The functional role of the hyporheos. – Verh. Internat. Verein. Limnol. 27: 51-63.
- BRADT, P.; URBAN, M.; GOODMAN, N.; BISSELL, S.; SPIEGAL, I. (1999): Stability and resilience in benthic macroinvertebrate assemblages. Impact of physical disturbance over twenty-five years. – Hydrobiologia 403: 123-133.
- BRETTFELD, R.; BELLSTEDT, R. (1999): Zur Limnofauna der Öchse im Wartburgkreis (Thüringen). [On the limnofauna of the Oechse in the Wartburg county]. – Thür. Faun. Abhandlungen 6: 69-87.
- BRETTFELD, R.; BELLSTEDT, R. (2000): Wiederfund der Steinfliege *Brachyptera braueri* (Klapálek, 1900) nach fast hundert Jahren in Thüringen (Insecta: Plecoptera). [The stonefly *Brachyptera braueri* (Klapálek, 1900) found again in Thuringia after almost one hundred years (Insecta: Plecoptera)]. – Abh. Ber. Mus. Nat. Gotha 21: 111-112.
- BREWIN, P.A.; BUCKTON, S.T.; ORMEROD, S.J. (2000): The seasonal dynamics and persistence of stream macroinvertebrates in Nepal: do monsoon floods represent disturbance?. – Freshw. Biol. 44: 581-594

- BRINKMANN, R.; SPETH, S. (2000): Eintags-, Stein- und Köcherfliegen Schleswig-Holsteins und Hamburgs – Rote Liste [May-, Stone- and Caddis-Flies of Schleswig-Holstein and Hamburg – Red List]. – Landesamt für Natur und Umwelt des Landes Schleswig-Holstein, Flintbek, 44 pp.
- BUFFAGNI, A.; COMIN, E. (2000): Secondary production of benthic communities at the habitat scale as a tool to assess ecological integrity in mountain streams. – *Hydrobiologia* 422-423: 183-195.
- BULÁNKOVÁ, E.; HALGOŠ, J.; KRNO, I. (2000): Vzácné biotopy v hornom šseku povodia Gidry a v inundačnom šzemķ Moravy. – *Acta Environmentalica Universitatis Comenianae (Bratislava)* 10: 157-161. Slovakian.
- BUZBY, K.M.; PERRY, S.A. (2000): Modeling the potential effects of climate change on leaf pack processing in central Appalachian streams. – *Can. J. Fish. Aquat. Sci.* 57: 1773-1783.
- CALLIER, K.J.; HALLIDAY, J.N. (2000): Macroinvertebrate-wood associations during decay of plantation pine in New Zealand pumice-bed streams: stable habitat or trophic subsidy? – *J. N. Amer. Benthol. Soc.* 19: 94-111.
- CAYROU, J.; COMPIN, A.; GIANI, N.; CÉRÉGHINO, R. (2000): Associations spécifiques chez les macroinvertébrés benthiques et leur utilisation pour la typologie des cours d'eau. Cas du réseau hydrographique Adour-Garonne (France). / Species associations in lotic macroinvertebrates and their use for river typology. Example of the Adour-Garonne drainage basin (France). – *Ann. Limnol.* 36: 189-202.
- CHANTHA, S.C.; CLOUTIER, L.; CATTANEO, A. (2000): Epiphytic algae and invertebrates on aquatic mosses in a Québec stream. – *Arch. Hydrobiol.* 147: 143-160.
- CHARVET, S.; STATZNER, B.; USSEGLIO-POLATERA, P.; DUMONT, B. (2000): Traits of benthic macroinvertebrates in semi-natural French streams: an initial application to biomonitoring in Europe. – *Freshw. Biol.* 43: 277-296.
- COLLIER, K.J.; SMITH, B.J. (2000): Interactions of adult stoneflies (Plecoptera) with riparian zones I. Effects of air temperature and humidity on longevity. – *Aquatic Insects* 22: 275-284.
- COURTNEY, L.A.; CLEMENTS, W.H. (2000): Sensitivity to acidic pH in benthic invertebrate assemblages with different histories of exposure to metals. – *J. N. Amer. Benthol. Soc.* 19: 112-127.
- CRESSA, C. (1999): Dry mass estimation of tropical aquatic insects using different short-term preservation methods. – *Rivista de Biologia Trop.* 47: 143-149.

- CRESSA, C. (1999): Dry mass estimates of some tropical aquatic insects. – *Revista de Biología Trop.* 47: 133-141.
- DANGLES, O.J.; GUEROLD, F.A. (2000): Structural and functional responses of benthic macroinvertebrates to acid precipitation in two forested headwater streams (Vosges Mountains, northeastern France). – *Hydrobiologia* 418: 25-31.
- DAVIES, N.M.; NORRIS, R.H.; THOMS, M.C. (2000): Prediction and assessment of local stream habitat features using large-scale catchment characteristics. – *Freshw. Biol.* 45: 343-369.
- DEL ROSARIO, R.B.; RESH, V.H. (2000): Invertebrates in intermittent and perennial streams: Is the hyporheic zone a refuge from drying?. – *J. N. Amer. Benthol. Soc.* 19: 680-696.
- DENTON, J.S. (2000): Six new localities for the stonefly *Nemoura dubitans* Morton (Plecoptera, Nemouridae). – *Entomol. Monthly Mag.* 136: 1632-1635.
- DEWALT, R.E.; WEBB, D.W.; HARRIS, M.A. (1999): Summer Ephemeroptera, Plecoptera, and Trichoptera (EPT) species richness and community structure in the lower Illinois River basin of Illinois. – *Gr. Lakes Entomol.* 32: 115-132.
- DIETERICH, M. (2000): Stoffretention und Habitatqualität: Die potentielle Bedeutung temporärer Fließgewässer für naturschutzfachliche Landschaftsplanung. [Matter retention and habitat quality: The potential significance of temporary running waters for landscape planning focussed on nature conservation]. – pp. 156-166 in: SOMMERHÄUSER M. (ed.), *Gewässer ohne Wasser? Ökologie, Bewertung, Management temporärer Gewässer.* – Natur- & Umweltschutz-Akademie des Landes Nordrhein-Westfalen Recklinghausen.
- DIETERICH, M.; ANDERSON, N.H. (2000): The invertebrate fauna of summer-dry streams in western Oregon – *Arch. Hydrobiol.* 147: 273-295.
- DOBERSTEIN, C.P.; KARR, J.R.; CONQUEST, L.L. (2000): The effect of fixed-count subsampling on macroinvertebrate biomonitoring in small streams. – *Freshw. Biol.* 44: 355-371.
- DOEG, T.J. (1999): Distribution and conservation status of the stonefly *Thaumatoperia flaveola* Burns & Neboiss in the Mt. Buller-Stirling area. – *Proc. Royal Soc. Victoria* 111: 87-92.
- DOMINGUEZ, M.I.; MARTINEZ LOPEZ, F.; PUJANTE, A. (1997): Determinacion de la calidad de las aguas en once Arroyos de la Cuenca del Rio Gabriel. [Determination of water quality in eleven streams of the catchment of Rio Gabriel]. – *Ecología* 11: 63-81.

- DORVILLE, L.F.M.; NESSIMIAN, J.L.; SANSERVERINO, A.M. (2000): First record of symphoresy between nymphs of the stonefly *Kempnyia tijucana*, and chironomid larvae, *Nanocladius (Plecopteracoluthus)* sp., in the Neotropics. – Stud. Neotrop. Fauna & Environm. 35: 109-114.
- DOUCETT, R.R.; GIBERSON, D.J.; POWER, G. (1999): Parasitic association of *Nanocladius* (Diptera: Chironomidae) and *Pteronarcys biloba* (Plecoptera: Pteronarcyidae): insights from stable-isotope analysis. J. N. Amer. Benthol. Soc. 18: 514-523.
- DU, Y. (2000): Notes on Chinese species of the genus *Acroneuria* Pictet (Plecoptera: Perlidae: Acroneuriinae). – Entomotaxonomia 22: 79-84.
- DUDGEON, D. (2000): Indiscriminate feeding by a predatory stonefly (Plecoptera: Perlidae). – Aquatic Insects 22: 39-47.
- DUVALL, C.J.; WILLIAMS, D.D. (2000): Ontogenic changes in prey consumption by the stonefly *Paragnetina media* in relation to temporal variation in prey nutrient content. – Can. J. Zool. 78: 748-763.
- EGGERS, F. (2000): Benthos surveys at the Stellmoorer Quellfluss, a Stream in the northeast of Hamburg, after an oil spillage. – Limnologica 30: 106-112; (In German, English Abstract).
- EGGLETON, A.M.; MORGAN, L.E.; PENNINGTON, L.W. (1996): Effects of liming on an acid-sensitive southern Appalachian stream. – Restor. Ecol. 4: 247-263.
- ELLIOTT, J.M. (2000): Contrasting diel activity and feeding patterns of four species of carnivorous stoneflies. – Ecol. Entomol. 25: 26-34.
- ENTING, K. (1999): Steinfliegen im Taunus (Insecta: Plecoptera) eine faunistisch-ökologische Untersuchung. [Stoneflies in the Taunus (Insecta: Plecoptera) a faunistic-ecological study]. – Diploma thesis, 170 pp., Johannes Gutenberg-Universität Mainz.
- FEMINELLA, J.W. (2000): Correspondence between stream macroinvertebrate assemblages and 4 ecoregions of the southeastern USA. – J. N. Amer. Benthol. Soc. 19: 442-461
- FLORY, E.A.; MILNER, A.M. (2000): Macroinvertebrate community succession in Wolf Point Creek, Glacier Bay National Park, Alaska. – Freshw. Biol. 44: 465-480.
- FOCHETTI, R.; SEZZI, E. (2000): A new species of *Mesonemoura* from Yunnan: *Mesonemoura sbordonii* sp. n. (Plecoptera: Nemouridae). – Aquatic Insects 22: 237-240.
- FOLTYN, S. (2000): Überlebenstrategien in sommertrockenen Löss-Lehmbächen. [Survival strategies in sommer-dry loess-loam streams]. – pp. 72-81 in: SOMMERHÄUSER M. (ed.), Gewässer ohne Wasser ? Ökologie, Bewertung, Management temporärer Gewässer. Natur- & Umweltschutz-Akademie des Landes Nordrhein-Westfalen Recklinghausen.

- FRANZ, T.; HAYDN, M; PRIESTER, A. (1999): Arthropodengesellschaft in der Lunzer Seeau. [Arthropod association in the Lunzer See floodplain]. – Jber. Biol. Stn. Lunz, 16: 145-162.
- FROELICH, C.G. (1999): Biometric notes on *Tupiperla* Froehlich (Plecoptera, Gripopterygidae). – Revista Brasileira de Zool. 16 (Suppl.2): 181-183.
- FROELICH, C.G. (2000): Biological observations on *Tupiperla* (Plecoptera: Gripopterygidae). – Revista Brasileira de Biol. 60: 447-450.
- GERHARDT, A. (2000): Der Multispecies Freshwater Biomonitor (MFB) und seine Anwendungsmöglichkeiten in Forschung und Monitoring von Wasserqualität. [The Multispecies Freshwater Biomonitor (MFB) and application possibilities in research and water quality monitoring]. – Deutsche Gesellschaft für Limnologie (DGL). Tagungsbericht 1999 (Rostock), Tutzing 2: 972-977.
- GILLOOLY, J.F.; DODSON, S.I. (2000): The relationship of egg size and incubation temperature on embryonic development time in univoltine and multivoltine aquatic insects. – Freshw. Biol. 44: 595-604.
- GRABOW, K. (2000): Ordnung Plecoptera Steinfliegen, Uferfliegen, Uferbolde. – pp. 151-159 in: Farbatlas Süßwasserfauna Wirbellose. [Colour atlas freshwater fauna invertebrates]. Verlag Eugen Ulmer, Stuttgart, 288 pp.
- GREGORY, J.S.; BEESLEY, S.S.; VAN, K.R.W. (2000): Effect of springtime water temperature on the time of emergence and size of *Pteronarcys californica* in the Henry's Fork catchment, Idaho, USA. – Freshw. Biol. 45: 75-83.
- GUEROLD, F. (2000): Influence of taxonomic determination level on several community indices. – Water Research 34: 487-492.
- HAASE, P.; SCHINDEHÜTTE, K. (2000): Die Ephemeroptera, Plecoptera, aquatische Coleoptera (partim) und Trichoptera des niedersächsischen Harzes: Faunistik und ökologische Anmerkungen. / Ephemeroptera, Plecoptera, aquatic Coleoptera (partim) and Trichoptera from the Lower Saxony part of the Harz mountains (Germany): Fauna and ecological notes. – Braunschweiger Naturkd. Schriften 6: 85-102.
- HAHN, H.J. (2000): Studies on classifying of undisturbed springs in southwestern Germany by macrobenthic communities. – Limnologica 30: 247-259.
- HARTLEB, C.F.; TIM, S.A. (2000): Survival and hatching success of stonefly eggs (*Paragnetina media*) following ingestion by three stream fishes – J. Freshw. Ecol. 15:107-114.
- HAWKINS, C.P.; VINSON, M.R. (2000): Weak correspondence between landscape classifications and stream invertebrate assemblages: implications for bioassessment. – J. N. Amer. Benthol. Soc. 19: 501-517.
- HEWLETT, R. (2000): Implications of taxonomic resolution and sample habitat for stream classification at a broad geographic scale. – J. N. Amer. Benth. Soc. 19: 352-361.

- HOFFMANN, A.; HERING, D. (2000): Wood associated macroinvertebrate fauna in Central European streams. – *Internat. Rev. Hydrobiol.* 85: 25-48.
- HOFFSTEN, P.-O.; MALMQVIST, B. (2000): The macroinvertebrate fauna and hydrogeology of springs in central Sweden. – *Hydrobiologia*: 436: 91-104.
- HOHMANN, M. (2000): Die Eintags-, Stein- und Köcherfliegen (Ephemeroptera, Plecoptera, Trichoptera) der Fläming-Bäche in Sachsen-Anhalt. [The mayflies, stoneflies and caddisflies (Ephemeroptera, Plecoptera, Trichoptera) of streams in the Flaeming, Saxony-Anhalt]. – *Naturw. Beiträge Museum Dessau* 12: 93-109.
- HOLOMUZKI, J.R.; PILLSBURY, R.W.; KHANDWALA, S.B. (1999): Interplay between dispersal determinants of larval hydropsychid caddisflies. – *Can. J. Fish. Aquat. Sci.* 56: 2041-2050.
- HUHTA, A.; MUOTKA, T.; TIKKANEN, P. (2000): Nocturnal drift of mayfly nymphs as a post-contact antipredator mechanism. – *Freshw. Biol.* 45: 33-42.
- HYNES, H.B.N. (2000): Introduction–pp. 1-10 in: Stark, B.P.; Armitage, B.J. (eds), *The stoneflies (Plecoptera) of eastern North America, Vol. 1. Peltoperlidae, Pteronarcyidae, and Taeniopterygidae*, *Bull. Ohio Biol. Surv.* 14: 1-98.
- INADA, K. (2000): List of the Plecoptera from Hyogo Prefecture, Japan, Part 1. – *Hyogo Freshw. Biol.* 51/52: 17-23. (In Japanese).
- INADA, K. (2000): Plecoptera from the Chikusa River System, Honshu, Japan, Part 1. – *Hyogo Freshw. Biol.* 51/52: 187-206. (In Japanese).
- INADA, K. (2000): Stonefly fauna of Gounokawa River System, Shimane and Hiroshima Prefecture [Honshu, Japan] (first report). – *Misc. Reports Hiwa Mus. Natur. Hist.* 39: 53-64. (In Japanese with English abstract).
- JAHN, W.; DEMBINKSI, M. (2000): Vergleich von Makrozoobenthos und Gewässerstruktur in zwei Fließgewässern im Hinblick auf den Umfang erforderlicher Maßnahmen zur naturnahen Umgestaltung (naturräumliche Region Lüneburger Heide und Wendland; nordöstliches Niedersachsen) / Comparison of macrozoobenthos and river morphology in two rivers according to number and extent of necessary suggestions for river restauration (District Lüneburger Heide and Wendland; Lower Saxony, Germany). – *Limnologica* 30: 131-136.
- JOHANSEN, M.; ELLIOTT, J.M.; KLEMETSEN, A. (2000): Diel fluctuations of invertebrate drift in a Norwegian stream north of the Arctic Circle. – *Norwegian J. Entomol.* 47: 101-112.

- JOHNSON, R.K. (2000): Spatial congruence between ecoregions and littoral macroinvertebrate assemblages. – J. N. Amer. Benthol. Soc. 19:475-486.
- JONSSON, M.; MALMQVIST, B. (2000): Ecosystem process rate increases with animal species richness: Evidence from leaf-eating, aquatic insects. – Oikos 89: 519-523.
- JOY, M.K.; DEATH, R.G. (2000): Stream invertebrate communities of Campbell Island. – Hydrobiologia: 439: 115-124.
- KADONO, A.; TAKEMON, Y.; TOKESHI, M. (1999): Mobility and habitat colonization in stream invertebrates: An experimental study. – Jap. J. Limnol. 60: 215-222.
- KAZANCI, N. (2000): On the Taeniopterygidae (Insecta, Plecoptera) Fauna of Turkey. – Aquatic Insects 22: 171-176.
- KONDRATIEFF, B.C.; KIRCHNER, R.F. (2000): Two new *Allocapnia* from Eastern North America (Plecoptera: Capniidae). – Ann. Entomol. Soc. Amer. 93: 1267-1273.
- KOVÁCS, T. (2000): Két ritka rovar a Mátrából: *Cordulegaster bidentatus* Selys, 1843 és *Diura bicaudata* (Linnaeus, 1758) (Insecta: Odonata, Plecoptera) / Two rare insects from the Mátra Mountains: *Cordulegaster bidentatus* Selys, 1843 and *Diura bicaudata* (Linnaeus, 1758) (Insecta: Odonata, Plecoptera). – Folia historico naturalia Musei Matraensis 24: 129-131. (In Hungarian).
- KOWNACKI, A.; GALAS, J.; DUMNICKA, E.; MIELEWCZYK, S. (2000): Invertebrate communities in permanent and temporary high mountain lakes (Tatra Mts). – Ann. Limnol. 36: 181-188.
- KREUTZWEISER, D.P.; CAPELL, S.S.; SCARR, T.A. (1999): Acute lethal and sublethal effects of a neem-based insecticide on nontarget aquatic insects in stream channels. – Bull. Environ. Contam. & Toxicol. 63: 365-371.
- KRNO, I. (1998): Influence of abiotic and biotic factors on the life cycles and production of stoneflies (Plecoptera) in an acidified spring area. – Biologia, Bratislava, 53: 195-204.
- KRNO, I.; ŠPORKA, F.; BULÁNKOVÁ, E.; TIRJAKOVÁ, E.; ILLYOVA, M.; ŠTEFKOVÁ, E.; TOMAJKA, J.; HALGOŠ, J.; BITUŠIK, P.; ILLÉSOVĽ, D. (1998): The influence of organic inputs, acidification and fluctuating discharge on a spring ecosystem. – pp. 99-106 in BRETSCHKO, G.; HELESIČ, J. (eds): Advances in River Bottom Ecology, Backhuys Publishers, Leiden.
- KRNO, I. (1999): Pošvatky (Plecoptera) povodia Ipl'a a Hrona. – Folia faunistica Slovaca 4: 33-40. Slovakian.
- KRNO, I.; VALACHOVÁ, S. (1999): Changes in macrozoobenthos of the Revúca river basin (the Veľ'ká Fatra Mountains) during the period 1971-1993. – Ekológia (Bratislava) 18: 310-324.

- KRNO, I. (2000): Makrozoobentos v povodi Bieleho Vŕhu, jeho pôvodnosť a prognóza jeho zmien. – *Acta Environmentalica Universitatis Comenianae* (Bratislava) 10: 197-205. Slovakian.
- KUKULA, K. (1998): Alterations of the bottom macrofauna of a mountain stream (Wolosaty stream, Bieszczady National Park, southeastern Poland) caused by a tourist hotel. – *Acta Hydrobiol.* 40: 277-286.
- KŰRY, D.; ZSCHOKKE, S. (2000): Short-term consequences of river restoration on macroinvertebrate communities. – *Mitt. Dtsch. Ges. allg. angew. Entomol.* 12: 237-240.
- LANG, C. (2000): Diversity of zoobenthos in 47 rivers of western Switzerland: The 1989-1997 trend. – *Rev. Suisse de Zool.* 107: 107-122.
- LANG, C. (2000): Zoobenthic diversity in two rivers of western Switzerland: The 1990-2000 trend. – *Bull. de la Soc. Vaudoise des Sci. Natur.* 87: 1-14.
- LEDGER, M.E.; HILDREW, A.G. (2000): Resource depression by a trophic generalist in an acid stream. – *Oikos* 90: 271-278.
- LEDGER, M.E.; HILDREW, A.G. (2000): Herbivory in an acid stream. – *Freshw. Biol.* 43: 545-556.
- LEDGER, M.E.; WINTERBOURN, M.J. (2000): Growth of New Zealand stream insect larvae in relation to food type. – *Arch. Hydrobiol.* 149: 353-364.
- LENOIR, J.S.; MCCONNELL, L.L.; FELLERS, G.M.; CAHILL, T.M.; SEIBER, J.N. (1999): Summertime transport of current-use pesticides from California's Central Valley to the Sierra Nevada Mountain Range, USA. – *Environ. Toxicol. Chem.* 18: 2715-2722.
- LICHTWARDT, R.W.; FERRINGTON, L.C. Jr.; LASTRA, C.L. (1999): Trichomycetes in Argentinean aquatic insect larvae. – *Mycologia* 91: 1060-1082.
- LOMOND, T.M.; COLBO, M.H. (2000): Variations in the lake-outlet Ephemeroptera, Plecoptera, and Trichoptera communities amongst regions of eastern Newfoundland, Canada. – *Can. J. Zool.* 78: 1536-1543.
- LORENZ, A. (2000): Ökologische Auswirkungen periodischer Wasserführung auf die Makroinvertebratenbiozönose eines Mittelgebirgsbaches im Weserbergland. [Ecological effects of periodic discharge on the biocoenosis of macroinvertebrates of a foothill stream in the Weserbergland]. – pp. 129-136 in: SOMMERHÄUSER M. (ed.), *Gewässer ohne Wasser? Ökologie, Bewertung, Management temporärer Gewässer.* Natur- & Umweltschutz-Akademie des Landes Nordrhein-Westfalen Recklinghausen.

- LORENZ, A.; PODRAZA, P. (2000): Ökologische Auswirkungen periodischer Wasserführung auf die Makroinvertebratenzönose eines Baches im Weserbergland. [Ecological effects of periodic discharge on the biocoenosis of macroinvertebrates of a stream in the Weserbergland]– Deutsche Gesellschaft für Limnologie (DGL). Tagungsbericht 1999 (Rostock), Tutzing, 2: 887-891.
- LOUNACI, A.; BROSSE, S.; THOMAS, A.; LEK, S. (2000): Abundance, diversity and community structure of macroinvertebrates in an Algerian stream: The Sebaou wadi. – Ann. Limnol. 36: 123-133.
- LUKÁŠ, J. (1998): The influence of organic inputs, acidification and fluctuating discharge on a spring ecosystem. – pp. 99-106 in BRETŠCHKO, G.; HELESIČ, J. (eds): Advances in River Bottom Ecology, Backhuys Publishers, Leiden.
- LUZÓN-ORTEGA, J.M.; TIERNO DE FIGUEROA, J.M. (2000): First record of *Capnia bifrons* (Newman, 1839) (Plecoptera, Capniidae) in southern Iberian Peninsula. – Boln. Asoc. esp. Entomol. 24: 218-219. (In Spanish).
- LYDY, M.J.; CRAWFORD, C.G.; FREY, J.W. (2000): A comparison of selected diversity, similarity, and biotic indices for detecting changes in benthic-invertebrate community structure and stream quality. – Arch. Environ. Contam. Toxicol. 39: 469-479.
- MALMQVIST, B. (2000): How does wing length relate to distribution patterns of stoneflies (Plecoptera) and mayflies (Ephemeroptera)? – Biol Conserv. 93: 271-276.
- MALMQVIST, B.; HOFFSTEN, P.-O. (2000): Predictors of benthic macroinvertebrate species richness and community structure in Central Swedish streams. – Verh. Internat. Verein. Limnol. 27: 357-361.
- MALMQVIST, B.; HOFFSTEN, P.-O. (2000): Macroinvertebrate taxonomic richness, community structure and nestedness in Swedish streams. – Arch. Hydrobiol. 150: 29-54.
- MALMQVIST, H.J.; ANTONSSON, T.; GUDBERGSSON, G; SKULASON, S.; SNORRASON, S.S. (2000): Biodiversity of macroinvertebrates on rocky substrate in the surf zone of Icelandic lakes. – Verh. Internat. Verein. Limnol. 27: 121-127.
- MARDEN, J.H.; O'DONNELL, B.C.; THOMAS, M.A.; BYE, J.Y. (2000): Surface-skimming stoneflies and mayflies: The taxonomic and mechanical diversity of two-dimensional aerodynamic locomotion. – Physiol. and Biochem. Zool. 73: 751-764.
- MARQUES, D.L.F.; FROELICH, C.G. (1999): Additional characters to distinguish the nymphs of the perlid genera from Southeastern Brazil (Insecta, Plecoptera). – Aquatic Insects 21: 281-284.

- MARUYAMA, H.; HANADA, S.; BEFU, T.; TAKAI, M. (1999): Notes on Japanese peltoperlid species (Plecoptera) from Kochi Prefecture [Shikoku, Japan]. – Gensei, Kocki 74: 27-32. (In Japanese).
- MARUYAMA, H.; TAKAI, M. (2000): Plecoptera. – pp. 136-176 in “Gensyoku Kawamushi Zukan [Photographic Guide for Aquatic Insects in Japanese Streams]”, Zenkoku Noson Kyoiku Kyokai, Tokyo. (In Japanese).
- MARUYAMA, H.; YAMAMOTO, E.; DOI, M. (2000): List of Plecoptera collected at Odamiyama in Ehime Prefecture, Japan. – pp. 49-57 in “Nature of Odamiyama II”, Yamamoto Forest Biol. Inst. Oda. (In Japanese).
- MATTHAEI, C.D.; ARBUCKLE, C.J.; TOWNSEND, C.R. (2000): Stable surface stones as refugia for invertebrates during disturbance in a New Zealand stream. – J. N. Amer. Benthol. Soc., 19: 82-93.
- MATTIASCHK, F. (2000): Struktur, Chemismus und Besiedlung des Hyporheals von Muschelkalkbächen in der Umgebung von Jena (Thüringen). [Structure, chemistry and colonisation of the hyporheal of Muschelkalk streams in the surroundings of Jena (Thuringia)]. – Deutsche Gesellschaft für Limnologie (DGL). Tagungsbericht 1999 (Rostock), Tutzing 1: 268-272.
- MAXTED, J.R.; BABOUR, M.T.; GERRITSEN, J.; PORETTI, V.; PRIMROSE, N.; SILVIA, A.; PENROSE, D.; RENFROW, R. (2000): Assessment framework for mid-Atlantic coastal plain streams using benthic macroinvertebrates. – J. N. Amer. Benthol. Soc. 19: 128-144.
- McLELLAN, I.D. (2000): Additions to New Zealand notonemourid stoneflies (Insecta: Plecoptera). – New Zealand J. Zool. 27: 21-27.
- McLELLAN, I.D. (2000): A revision of *Cristaperla* (Plecoptera: Notonemouridae) and some comments on Notonemouridae and its generic groups. – New Zealand J. Zool. 27: 233-244.
- MEIDL, E.-B. (2000): Die Verteilung der aquatischen Insekten im hyporheischen Interstitial eines Mittelgebirgsbaches des Thüringer Schiefergebirges (Schwarza, Thüringen, Deutschland). [Distribution of insects in the hyporheic interstitial of a foothill stream in the Thuringian slate mountains (Schwarza, Thuringia, Germany)]. – Mitt. Dtsch. Ges. allg. angew. Entomol. 12: 241-244.
- MEIER, G.M.; MEYER, E.I.; MEYNS, S. (2000): Lipid content of stream macroinvertebrates. – Archiv. Hydrobiol. 147:447-463.
- MEYER, A.; MEYER, E. I. (2000): Discharge regime and the effect of drying on macroinvertebrate communities in a temporary karst stream in East Westphalia (Germany). – Aquat. Sci. 62: 216-231.

- MEYER, E.I.; MEYER, A.; BILLEN, M. (2000): Fallbeispiel Sauer, ein Karstbach der Paderborner Hochfläche. [The example of the Sauer, a karstic stream on the Paderborn high plain]. – pp. 121-128 in: SOMMERHÄUSER M. (ed.), Gewässer ohne Wasser? Ökologie, Bewertung, Management temporärer Gewässer. Natur- & Umweltschutz-Akademie des Landes Nordrhein-Westfalen Recklinghausen. [*N.cinerea*].
- MICKOLEIT, G. (2000): Auswirkungen kurzzeitiger Abwasserbelastung, Hochwasser und Sedimenteintrag auf das Makrozoobenthos eines Mittelgebirgsbaches. [Effects of short term waste water load, spate and sediment input on the macrozoobenthos of a foothill stream]. – Deutsche Gesellschaft für Limnol. (DGL). Tagungsbericht 1999 (Rostock), Tutzing 2: 892-897.
- MONAGHAN, K. A.; PECK, M.R.; BREWIN, P.A.; MASIERO, M.; ZARATE, E.; TURCOTTE, P.; ORMEROD, S.J. (2000): Macroinvertebrate distribution in Ecuadorian hill streams: the effects of altitude and land use. – Arch. Hydrobiol. 149: 421-440.
- MOOG, O.; BRUNNER, S.; HUMPECH, U.H.; SCHMIDT-KLOIBER, A. (2000): The distribution of benthic invertebrates along the Austrian stretch of the River Danube and its relevance as an indicator of zoogeographical and water quality patterns – Part 2. Arch. Hydrobiol., Suppl. Large Rivers 11, 115: 473-505.
- MORAL, M. DEL; MARTINEZ-LOPEZ, F.; PUJANTE, A. M. (1997): Estudio de los pequeños rios de la Sierra de Espada (SO de Castellon). Macroinvertebrados y calidad de sus aguas [Study of the small rivers of the Sierra de Espada (SE of Castellon). Macroinvertebrates and the quality of its waters]. – Ecología 11: 37-61.
- MÜLLER, M. (2000): Benthosbiologischer und struktureller Vergleich von Kerbtalquellbächen unterschiedlicher Waldtypen (Mittelsieg-Bergland). [Comparison of benthic biology and structure of streams in valleys in different forest types (Middle Sieg Mountains)]. – Deutsche Gesellschaft für Limnologie (DGL). Tagungsbericht 1999 (Rostock), Tutzing 2: 903-907.
- MURPHY, J. F.; GILLER, P. S. (2000): Seasonal dynamics of macroinvertebrate assemblages in the benthos and associated with detritus packs in two low-order streams with different riparian vegetation. – Freshw. Biol. 43: 617-631.
- MUSTOW, S.E. (2000): Lotic macroinvertebrate assemblages in northern Thailand: altitudinal and longitudinal distribution and the effects of pollution. – Natur. Hist. Bull. Siam Soc. 47: 225-252. Publication date is given as 1999 but the paper was actually published late in 2000 (S. E. Mustow, in a letter).

- NELSON, C.H. (2000): Pteronarcyidae (The salmonflies) – pp. 29-40 in: Stark, B.P.; Armitage, B.J. (eds), *The Stoneflies (Plecoptera) of eastern North America, Vol. 1. Peltoperlidae, Pteronarcyidae, and Taeniopterygidae*, Bull. Ohio Biol. Surv. 14: 1-98.
- NICOARA, M.; COJOCARU, I. (2000): Dynamics of the entomological fauna living in aquatic ecosystems in Iasi area. – Entomol. Basiliensia 22: 93-98.
- NISHIO, N. (2000): Nymph of *Aptero-perla tikumana* (Plecoptera, Capniidae). Matsumushi, Matsumoto 90: 25-29. (In Japanese).
- OFENBÖCK, G.; MOOG, O. (2000): The Danube-Net-Basket-Sampler - A simple but effective device for sampling benthic invertebrates in deep and large stony rivers. – Arch. Hydrobiol., Suppl. Large Rivers 11, 115: 557-573.
- PECKARSKY, B.L. (1998): The dual role of experiments in complex and dynamic natural systems. – pp. 311-324 in RESETARITS, W.J., JR.; BERNARDO, J.: Experimental ecology: Issues and perspectives. Oxford Univ. Press.
- PENG, J.; LIU, J.; ZHU, A. (2000): The zoobenthos status and their use in water quality assessment in the Huoxihe River. – Acta Hydrobiol. Sinica 24: 340-346. (In Chinese).
- PESCADOR, M.L.; RASMUSSEN, A.K.; RICHARD, B.A. (2000): A guide to the stoneflies (Plecoptera) of Florida. – Florida Dept. Environ. Prot.: 1-94 (with appendix database 72 pp.).
- PIRES, A.M.; COWX, I.G.; COELHO, M.M. (2000): Benthic macroinvertebrate communities of intermittent streams in the middle reaches of the Guadiana Basin (Portugal). – Hydrobiologia 435: 167-175.
- PODGORNIK, S.; MAVRI, U.; SIVEC, I. (1999): Stonefly fauna (Insecta, Plecoptera) of the Lipnica Valley, NW Slovenia. – Acta Biol. Slovenica: 42: 31-41.
- PODRAZA, P.; EHLERT, T.; SOMMERHÄUSER, M.; SCHUHMACHER, H.; FRIEDRICH, G. (2000): Ableitung von Fließgewässertypen und -landschaften am Beispiel der kleinen und mittelgroßen Fließgewässer der Tiefland- und Mittelgebirgsregion Nordrhein-Westfalens. [Deduction of types of running waters and landscapes using the example of small and middle-sized running waters in the lowland and foothill regions of North Rhine Westphalia]. – Deutsche Gesellschaft für Limnol. (DGL). Tagungsbericht 1999 (Rostock), Tutzing 1: 86-90.
- POEPPERL, R. (2000): Benthic secondary production and biomass of insects emerging from a northern German temperate stream. – Freshw. Biol. 44: 199-211.

- POMEROY, K.E.; SHANNON, J.P.; BLINN, D.W. (2000): Leaf breakdown in a regulated desert river: Colorado River, Arizona, U.S.A. – *Hydrobiologia* 434: 193-199.
- POPRAWA I.; ROSCISZEWSKA E. (2000): Choriogenesis in the panoistic ovary of *Leuctra autumnalis* (Plecoptera: Leuctridae). – *Acta Biologica Cracoviensia, Series Botanica* 42 (Suppl. 1): 26.
- RAVIZZA, C.; FOCHELLI, R. (2000): I Plecotteri Taeniopterygidae della regione italiana (Plecoptera) [The taeniopterygid stoneflies of the Italian region]. – *Mem. Soc. Entomol. Ital.* 77: 123-159.
- RAWER, J.C.; BOEHMER, J.; BLANK, J.; RAHMANN, H. (2000): Macroinvertebrate functional feeding group methods in ecological assessment. – *Hydrobiologia* 422-423: 225-232.
- REMPEL, L.L.; RICHARDSON, J.S.; HEALEY, M.C. (2000): Macroinvertebrate community structure along gradients of hydraulic and sedimentary conditions in a large gravel-bed river. – *Freshw. Biol.* 45: 57-73.
- REUSCH, H.; HAASE, P. (2000): Rote Liste der in Niedersachsen und Bremen gefährdeten Eintags-, Stein- und Köcherfliegenarten mit Gesamtartenverzeichnis. [Red List of the mayfly, stonefly and caddisfly species endangered in Lower Saxony and Bremen, with a complete species list]. – *Inform. D. Naturschutz Niedersachs.* 20: 182-200.
- ROBINSON, C.T.; GESSNER, M.O. (2000): Nutrient addition accelerates leaf breakdown in an alpine springbrook. – *Oecologia – Berlin* 122: 258-263.
- ROBINSON, C.T.; MINSHALL, G.W.; ROYER, T.V. (2000): Inter-annual patterns in macroinvertebrate communities of wilderness streams in Idaho, USA. – *Hydrobiologia* 421: 187-198.
- ROBINSON, C.T.; GESSNER, M.O.; CALLIES, K.A.; JOLIDON, C.; WARD, J.V. (2000): Larch needle breakdown in contrasting streams of an alpine glacial floodplain. – *J. N. Amer. Benthol. Soc.* 19: 250-262.
- ROSCISZEWSKA, E. (2000): Ultrastructure of the egg capsules of the Ecuadoran stoneflies (Plecoptera). – *Acta Biol. Cracoviensia Series Botanica.* 42 (Suppl. 1): 28.
- ROSENFELD, J. (2000): Effects of fish predation in erosional and depositional habitats in a temperate stream. – *Can. J. Fish. Aquat. Sci.* 57: 1369-1379.
- ROSENFELD, J.S. (2000): Contrasting effects of fish predation in a fishless and a fish-bearing stream. – *Arch. Hydrobiol.* 147: 129-142.
- RUSE, L.P.; HERRMANN, S.J. (2000): Plecoptera and Trichoptera species distribution related to environmental characteristics of the metal-polluted Arkansas River, Colorado. – *Western N. Amer. Natur.* 60: 57-65.

- SCARSBROOK, M.R.; BOOTHROID, I.K.G.; QUINN, J.M. (2000): New Zealand's National River Water Quality Network: Long-term trends in macroinvertebrate communities. – *New Zealand J. Mar. Freshw. Res.* 34: 289-302.
- SCHMID, P.E.; SCHMID-ARAYA, J.M. (1999): Invertebrate assemblages of low order British and Austrian streams. – *Jber. Biol. Stn. Lunz* 16: 51-72.
- SCHÖLL, F.; FUKSA, J. (2000): Das Makrozoobenthos der Elbe vom Riesengebirge bis Cuxhaven. [The macrozoobenthos of the Elbe, from the Sudeten Mountains to Cuxhaven]. – Bundesanstalt f. Gewässerkunde Koblenz / T.G. Masaryk Water Research Institute Prag / Internationale Kommission zum Schutz der Elbe (Hrsg.), S. 1-29.
- SCHULZ, C.-J. (2000): Aquatische Insekten der Wipper, einem salzbelasteten Fluß Nordthüringens. [Aquatic insects of the Wipper, a salt-laden river in north Thuringia]. – *Mitt. Dtsch. Ges. allg. angew. Entomol.* 12: 249-254.
- SCHULZ, C.-J.; BELLSTEDT, R. (2000): Die Wipper: Verödung und Wiederbesiedlung eines Flusses im ehemaligen Kalirevier „Südharz“, dargestellt am Beispiel aquatischer Insekten. [The Wipper: depopulation and recolonisation of a river in the former potassium mining area „Südharz“, described using aquatic insects as an example]. – *Abh. Ber. Mus. Nat. Gotha* 21: 10-110.
- SEZZI, E.; FOCHETTI, R. (1999): On the presence of *Capnioneura petricola*, new for Italy, in Sardinia (Plecoptera, Capniidae). [Italian]. – *Boll. Assoc. Romana Entomol.* 54: 31-32.
- SHIMIZU, T. (2000): *Paraleuctra* (Insecta: Plecoptera: Leuctridae) from Japan, with Taxonomic Notes on the Japanese Leuctridae. – *Species Diversity* 5: 285-303.
- SHIMIZU, T. (2000): Stoneflies (Insecta: Plecoptera) collected from the Kamchatka Peninsula and North Kuril Islands in 1996-1997. – *Natur. Hist. Res., Spec. Issue* 7: 77-82.
- SINITSHENKOVA, N.D. (1998): The first European Cretaceous stonefly (Insecta Perlida = Plecoptera). – *Cretaceous Research* 19: 317-321.
- SIVEC, I. (1994-1995): Vrhnice Pohorja [Stoneflies of the Pohorje Mountains]. – *Proteus* 57: 371-372.
- SMITH, B.J.; COLLIER, K.J. (2000): Interactions of adult stoneflies (Plecoptera) with riparian zones II. Diet. – *Aquatic Insects* 22: 285-296.
- SMITH, C.; GOOD, M.; MURPHY, J.F.; GILLER, P.S.; O'HALLORAN, J. (2000): Life-history patterns and spatial and temporal overlap in an assemblage of lotic Plecoptera in the Araglin Catchment Study Area, Ireland. – *Arch. Hydrobiol.* 150: 117-132.

- SMITH, R.; ECKENRODE, J.; GAUL, A.; MASEMER, D.; POERSTEL, S.; RODRIGUEZ, H.; STOUGH, M.; AMBLER, J. (2000): Stream macroinvertebrates, the riparian forest, and stream habitat as indicators of human disturbance. – J. Pennsylvania Acad. Sci. 73 (Suppl.): 178-179.
- SOMMERHÄUSER, M. (2000): Sommertrockene Fließgewässer im nordrhein-westfälischen Tiefland - Lebensraumbedingungen und Lebensgemeinschaften. [Summer-dry running waters in the North Rhine-Westphalian lowland – habitat conditions and communities]. – pp. 101-114 in: SOMMERHÄUSER M. (ed.), *Gewässer ohne Wasser ? Ökologie, Bewertung, Management temporärer Gewässer*. Natur- & Umweltschutz-Akademie des Landes Nordrhein-Westfalen Recklinghausen.
- SOUCEK, D.J.; CHERRY, D.S.; CURRIE, R.J.; LATIMER, H.A.; TRENT, G.C. (2000): Laboratory to field validation in an integrative assessment of an acid mine drainage-impacted watershed. – *Environ. Toxicol. Chem.* 19: 1036-1043.
- SPAENHOFF, B.; ALECKE, C.; MEYER, E. I. (2000): Colonization of submerged twigs and branches of different wood genera by aquatic macroinvertebrates. – *Internat. Rev. Hydrobiol.* 85: 49-66.
- SPEIRS, D.C.; GURNEY, W.S.C.; HILDREW, A.G.; WINTERBOTTOM, J.H. (2000): Long-term demographic balance in the Broadstone stream insect community. – *J. Anim. Ecol.* 69: 45-58.
- STANFORD, J.A.; WARD, J.V.; ELLIS, B.K. (1994): Ecology of the alluvial aquifers of the Flathead River, Montana – pp. 267-390 in: Gilbert, J.; Danielopol, D.L.; Stanford, J.A. (eds.), *Groundwater ecology*. Academic Press. San Diego, CA. 571 pp.
- STARK, B.P. (2000): Peltoperlidae (The roachflies) – pp. 41-54 in: Stark, B.P.; Armitage, B.J. (eds), *The stoneflies (Plecoptera) of eastern North America, Vol. 1. Peltoperlidae, Pteronarcyidae, and Taeniopterygidae*, Bull. Ohio Biol. Surv. 14: 1-98.
- STARK, B.P. (2000): The nearctic plecopteran families: morphology and systematics – pp. 11-28: in Stark, B.P.; Armitage, B.J. (eds.), *The stoneflies (Plecoptera) of eastern North America, Vol. 1. Peltoperlidae, Pteronarcyidae, and Taeniopterygidae*, Bull. Ohio Biol. Surv. 14: 1-98.
- STARK, B.P. (2000): Notes on the *Anacroneuria* (Plecoptera: Perlidae) of Guyana with the description of a new species. – *Aquatic Insects* 22: 305-310.
- STEWART, K.W. (2000): Taeniopterygidae (The willowflies) – pp. 55-88 in: Stark, B.P.; Armitage, B.J. (eds), *The stoneflies (Plecoptera) of eastern North America, Vol. 1. Peltoperlidae, Pteronarcyidae, and Taeniopterygidae*, Bull. Ohio Biol. Surv. 14: 1-98.

- SZACKI, Y.; TENBUS, J.; PARADISE, C.J. (2000): Bioassessment of Bowman Creek Watershed using benthic macroinvertebrates. – J. Pennsylvania Acad. Sci. 73 (Suppl.): 180.
- TACHET, H.; RICHOUX, P.; BOURNAUD, M.; USSEGLIO-POLATERA, P. (2000): Invertébrés d'eau douce systématique, biologie, écologie. – CNRS Éditions, Paris, 588 pp.; Plecoptera: 215-241. (In French).
- TADA, M. (1999): Effects of insecticide, fenobucarb on the benthic macroinvertebrates in model streams. – Acta Hydrobiol. Sinica 23 (Supplement): 122-131.
- TANIDA, K. (1991): Winter insects: stoneflies and midges. – Ishikawa Nature and Human 14: 31-35.
- TANIDA, K.; TAKEMON, Y. (2000): Effects of dams on benthic animals in streams and rivers. – Ecol. and Civil Engineering, Tokyo, 2: 153-164.
- TANK, J.L.; MEYER, J.L.; SANZONE, D.M.; MULHOLLAND, P.J.; WEBSTER, J.R.; PETERSON, B.J.; WOLLHEIM, W.M.; LEONARD, N.E. (2000): Analysis of nitrogen cycling in a forest stream during autumn using a  $^{15}\text{N}$ -tracer addition. – Limnol. Oceanog. 45: 1013-1029.
- THOMAS, M.A.; WALSH, K.A.; WOLF, M.R.; McPHERON, B.A.; MARDEN, J.H. (2000): Molecular phylogenetic analysis of evolutionary trends in stonefly wing structure and locomotor behavior. – Proc. Nat. Acad. Sci. United States Amer. 97: 13178-13183.
- TIERNO de FIGUEROA, J.M.; LUZÓN-ORTEGA, J.M.; SÁNCHEZ-ORTEGA, A. (1998): Contribución al conocimiento de la fauna de Plecópteros (Insecta: Plecoptera) del Algarve (sur de Portugal). – Bull. Portuguese Entomol. Soc. VII-5: 45-54.
- TIERNO de FIGUEROA, J.M.; SÁNCHEZ-ORTEGA, A. (1999): Huevos y puestas de algunas especies de plecópteros (Insecta, Plecoptera) de Sierra Nevada (Granada, España) [Eggs and clutches of some stonefly species (Insecta, Plecoptera) in Sierra Nevada (Granada, Spain)] – Zool. Baetica 10: 161-184. (In Spanish)
- TIERNO de FIGUEROA, J.M.; SÁNCHEZ-ORTEGA, A. (2000): Light and emergence of *Capnioneura mitis* and other species of stoneflies (Insecta, Plecoptera). – Boln. Asoc. esp. Entomol. 24: 19-24. (In Spanish with English Abstract).
- TIERNO de FIGUEROA, J.M.; SÁNCHEZ-ORTEGA, A. (2000): Imaginal feeding of twelve nemouroidean stonefly species (Insecta, Plecoptera). – Ann. Entomol. Soc. Am. 93: 251-253.

- TIERNO de FIGUEROA, J.M.; LUZÓN-ORTEGA, J.M.; SÁNCHEZ-ORTEGA, A. (2000): Male calling, mating and oviposition in *Isoperla curtata* (Plecoptera: Perlodidae). – Eur. J. Entomol. 97: 171-175.
- TIERNO de FIGUEROA, J.M.; PALOMINO-MORALES, J.A.; LUZÓN-ORTEGA, J.M. (2000): Spatial distribution on river banks of *Isoperla nevada* (Plecoptera, Perlodidae), *Chloroperla nevada* (Plecoptera, Chloroperlidae) and *Sericostoma cf. vittatum* (Trichoptera, Sericostomatidae). – Ital. J. Zool. 67: 355-358.
- TIMM, H. (2000): Distribution of stoneflies (Insecta: Plecoptera) in Estonia. – Proc. Estonian Acad. Sci. Biol. Ecol. 49: 277-288.
- TOGASHI, S.; HOKARI, N.; ITO, S.; HOMMA, Y. (2000): Distribution of the two species of *Scopura* (Plecoptera: Scopuridae) in Niigata Prefecture, Japan. – Niigata-ken Seibutsu Kyoiku Kenkyu Kasishi [J. Niigata Prefecture Soc. Res. And Education of Biol.] 35: 17-21. (In Japanese).
- TOWNSEND, G.D.; PRITCHARD, G. (2000): Egg development in the stonefly *Pteronarcys californica* Newport (Plecoptera: Pteronarcyidae). – Aquatic Insects 22: 19-26.
- UCHIDA, S. (2000): Plecoptera. – pp. 45-46 in “Insects of Asahi-cho [Aichi Prefecture, Honshu, Japan]”, Nagoya Entomol. Soc. (In Japanese).
- USSEGLIO-POLATERA, P.; BOURNAUD, M.; RICHOUX, P.; TACHET, H. (2000): Biological and ecological traits of benthic freshwater macroinvertebrates: relationships and definition of groups with similar traits. – Freshw. Biol. 43: 175-205.
- VILLANUEVA, V.D.; ALBARINO, R.J. (1999): Feeding habit of *Notoperla archiplatae* (Plecoptera) larvae in a North Patagonia Andean stream, Argentina. – Hydrobiologia 412: 43-52.
- VINÇON, G.; RAVIZZA C. (2000): New micropterous micro-endemic *Leuctra*-species and subspecies from the Spanish Cordillera Cantabrica. – Boll. Soc. Entomol. Ital. 132: 195-203.
- VINSON, M.R.; HAWKINS, C.P. (1998): Biodiversity of stream insects: Variation at local, basin, and regional scales. – Ann. Rev. Entomol. 43: 271-293.
- VOELZ, N.J.; MCARTHUR, J.V. (2000): An exploration of factors influencing lotic insect species richness. – Biodiversity and Conservation 9: 1543-1570.
- WAGNER, F. (2000): Verteilung fliegender merolimnischer Insekten im Nahbereich eines kleinen Fließgewässers, Leutra (Thüringen). [Distribution of flying merolimnic insects near a small running water, the Leutra (Thuringia)]. – Deutsche Gesellschaft für Limnologie (DGL). Tagungsbericht 1999 (Rostock), Tutzing 1: 262-267.

- WARMKE, S.; HERING, D. (2000): Composition, microdistribution and food of the macroinvertebrate fauna inhabiting wood in low-order mountain streams in Central Europe. – *Internat. Rev. Hydrobiol.* 85: 67-78.
- WERMUTH, P. (2000): Bioindikation der Gewässerhältnisse an der Birs (CH, Kanton Basel-Land) mit Hilfe von Emergenzfallen. [Bioindication of water conditions at the Birs (CH, canton Basel-Land) with the aid of emergence traps]. – *Mitt. Dtsch. Ges. allg. angew. Entomol.* 12: 255-257.
- WHILES, M.R.; BROCK, B.L.; FRANZEN, A.C.; DINSMORE, S.C. II (2000): Stream invertebrate communities, water quality, and land-use patterns in an agricultural drainage basin of northeastern Nebraska, USA. – *Environ. Managmt.* 26: 563-576.
- WHITE, M.M. (1999): *Legerioides*, a new genus of Harpellales in isopods and other Trichomycetes from New England, USA. – *Mycologia* 91: 1021-1030.
- WILLIAMS, D.D.; WILLIAMS, N.E.; CAO, Y. (2000): Road salt contamination of groundwater in a major metropolitan area and development of a biological index to monitor its impact. – *Water Res.* 34: 127-138.
- WRIGHT, J.F.; GUNN, R.J.M.; BLACKBURN, J.H.; GRIEVE, N.J.; WINDER, J.M.; DAVY-BOWKER, J. (2000): Macroinvertebrate frequency data for the RIVPACS III sites in Northern Ireland and some comparisons with equivalent data for Great Britain. – *Aquatic Conservation* 10: 371-389.
- YANG, C.; YANG, D. (1995): A new genus and new species of Plecoptera from East China (Perlidae: Acroneuriinae). – *Entomol. J. East China* 4: 1-2. (In Chinese, English abstract).
- YANG, D.; YANG, C. (1995): Three new species of Plecoptera from Hainan Province. – *Acta Agriculturae Universitatis Pekinensis* 21: 223-225. (In Chinese, English abstract).
- YANG, D.; YANG, C. (1995): Plecoptera: Perlidae. – pp. 59-60 in : *Insects of Baishanzu Mountain, Eastern China* ; (In Chinese, English abstract).
- YANG, D.; YANG, C. (1995): Plecoptera: Leuctridae. – pp. 61-62 in : *Insects of Baishanzu Mountain, Eastern China* ; (In Chinese, English abstract).
- ZHILTZOVA, L.A. (2000): Fauna of stoneflies (Plecoptera) of Leningrad Province. – *Entomol. Obozr.* 79: 579-584. (In Russian).
- ZHILTZOVA, L.A.; LOSKUTOVA, O.A. (1999): Zoogeographic features of stoneflies (Plecoptera) of Komi Republic. – *Russian Entomol. J.* 8: 155-158.

- ZOLLHOFER, J.M.; BRUNKE, M.; GONSER, T.S. (2000): A typology of springs in Switzerland by integrating habitat variables and fauna. – Archiv fuer Hydrobiol. Suppl. 121: 349-376.
- ZURWERRA, A.; BUR, M.; TURCSANYI, B.; MAIER, K.J.; TOMKA, I.; (2000): Benthic invertebrates of the Sense river system (Freiburg/Switzerland). – Mitteilungen der Schweizerischen Entomol. Gesellschaft 73: 115-142.
- ZWICK, P. (2000): Notes on Plecoptera (23): The anchor of the *Tetropina* egg (Plecoptera: Perlidae). – Aquatic Insects 22: 79-80.
- ZWICK, P. (2000): Phylogenetic system and zoogeography of the Plecoptera. — Annu. Rev. Entomol. 45: 709-746.

### REPORT ON BILL RICKER

In response to Ken Stewart's inquiry to Bill about his health and activities since PERLA 18, his son Eric wrote for him in April that he is sorry to report no activity with stoneflies, and that in February, 2001 Bill suffered a coma and has been in the hospital or nursing home ever since. He says recovery of motor ability continues slowly. Bill expressed interest in seeing the new PERLA and asked where he could get a copy of the "2<sup>nd</sup> Edition of Nymphs of North American Stonefly Genera". Readers may be interested in reading again the reprint in PERLA 18 of a 1984 article in "Sports Illustrated" about Bill by Bob Boyle.

Bill's professional life, stamina and continued interest in stoneflies at age 92 is an inspiration to all of us working in the science. (Editors note: I am sure it would be encouraging to Bill to receive get well wishes from those of us who know him. His address is : Dr. W.E. Ricker, 3052 Hammond Bay Rd. Nanaimo, BC V9T 1E2.)

**Standing Committee**  
**International Society of Plecopterologists**

***John Brittain***

Zoologisk Museum  
University of Oslo, Sarsgt. 1.  
N-0562 Oslo, NORWAY

***C. G. Froehlich***

Department of Biology, Philosophy Faculty  
University of Sao Paulo  
14049 Ribeirao, Preto, SP, BRAZIL

***Peter P. Harper***

Département de Sciences biologiques  
Université de Montréal  
C.P. 6128, Succ. "Centre-Ville"  
Montréal, Québec, H3C 3J7, CANADA

***T. Kawai***

Biological Institute  
Nara Women's University  
Kitauoya nishi-machi  
Nara City, 630 JAPAN

***Ian D. McLellan***

P. O. Box 95  
Westport, NEW ZEALAND

***Ignac Sivec***

Prirodoslovni Muzej Slovenije  
Prevernova 20, POB 290  
YU- 61001 Ljubljana, SLOVENIA

***Kenneth W. Stewart***

Department of Biological Sciences  
University of North Texas  
Denton, Texas 76203, USA

***Stanley W. Szczytko***

University of Wisconsin  
College of Natural Resources  
Stevens Point, Wisconsin 54481, USA

***Peter Zwick***

Limnologische Fluss-Station  
Max-Planck-Institut für Limnologie  
Postfach 260  
D-36105 Schlitz, GERMANY

